Cookers

Two solutions in one

Oven and hob in a single product.

~ versatility

tell me how you cook and I will tell you what you need

Glass ceramic, gas or electric?

In Fagor, you can choose among these 3 cooking types. All of them with the maximum safety and comfort for you.

Which oven do you prefer?

You have 2 oven types to choose among depending on your needs: multifunction or traditional.

Choose your vitroceramic hob from Fagor.

Pick your perfect fit from our wide range. All are easy to operate thanks to their simple control buttons, safety thermostat and residual heat pilot lights, so you have one less thing to worry about.

90 x 60

60 x 60

50 x 60

50 x 50

Sizes for every need.

With 4 different sizes, the range of Fagor cookers caters to your every need.

Up to 150 litre capacity

New gas ovens with maximum capacity and minimum energy consumption.

Roasting spit motor.



Gas canister holder.

Large capacity oven.

Fagor allows you to choose the interior capacity of your oven, from 55 to 150 litres, for cooking larger items.

Plate warmer drawer.

Fagor allows you to take maximum advantage of the heat given off during cooking by keeping your plates warm

5CF-4VMC X
stainless steel
920012158
EAN-13: 8413880142142

ENERGY B

60 x 60 cm. *Vitroceramic cooker*
~ 4 High Light hot plates
~ 4 residual heat pilot lights
~ Multifunction electric oven
~ Usable volume of the oven: 58 litres
~ Self-cleaning oven with catalytic lining
~ Oven thermostat (50 ÷ 250°C)
~ Electronic Start/Stop timer
~ Rotating spit
~ Oven light
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



3CF-4V X
stainless steel
920012032
EAN-13: 8413880130989

3CF-4V
white
920011195
EAN-13: 8413880098180

ENERGY B

60 x 60 cm. *Vitroceramic cooker*
~ 4 High Light hot plates
~ 4 residual heat pilot lights
~ Conventional electric oven
~ Usable volume of the oven: 61 litres
~ Self-cleaning oven with catalytic lining
~ Oven thermostat (50 ÷ 250°C)
~ Minute minder (with beeper)
~ Rotating spit
~ Oven light
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



5CF-56VDP X
stainless steel
920110934
EAN-13: 8413880154541

ENERGY A

50 x 60 cm. *Vitroceramic cooker*
~ 4 High Light hot plates
~ 1 Double hot plate and 1 Oval hot plate
~ 4 residual heat pilot lights
~ Multifunction electric oven
~ Usable volume of the oven: 53 litres
~ Easy-to-clean oven
~ Oven thermostat (50 ÷ 250°C)
~ Electronic Start/Stop timer
~ Rotating spit
~ Oven light
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



4CF-56VPM X
stainless steel
920012096
EAN-13: 841388031863

ENERGY A

50 x 60 cm. *Vitroceramic cooker*
~ 4 High Light hot plates
~ 4 residual heat pilot lights
~ Multifunction electric oven
~ Usable volume of the oven: 53 litres
~ Easy-to-clean oven
~ Electronic Start/Stop timer
~ Oven light
~ Chrome-plated side guides
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



4CF-56VMP B
white
920110925
EAN-13: 8413880154534

ENERGY

50 x 60 cm. *Vitroceramic cooker*
~ 4 Quick Rapid hot plates
~ 4 residual heat pilot lights
~ Multifunction electric oven
~ Usable volume of the oven: 55 litres
~ Easy-to-clean oven
~ Electronic Start/Stop timer
~ Oven light
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



4CF-56VM B
white
920012112
EAN-13: 8413880131887

ENERGY

50 x 60 cm. *Vitroceramic cooker*
~ 4 Quick Rapid randiant hot plates
~ 4 residual heat pilot lights
~ Multifunction electric oven
~ Usable volume of the oven: 55 litres
~ Easy-to-clean oven
~ Oven light
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



4CF-564 V
white
920011649
EAN-13: 8413880114002

ENERGY

50 x 60 cm. *Vitroceramic cooker*
~ 4 High Light hot plates
~ 4 residual heat pilot lights
~ Conventional electric oven
~ Usable volume of the oven: 55 litres
~ Self-cleaning oven with catalytic lining
~ Continuous power control
~ Minute minder
~ Grill and rotating spit
~ Oven light
~ Plate-warming drawer



3CF-3V
white
920012210
EAN-13: 8413880154268

50 x 50 cm. *Vitroceramic cooker*
~ 3 Quick Rapid randiant hot plates
~ 1 accumulated heat pilot light
~ Conventional electric oven
~ Usable volume of the oven: 52 litres
~ Self-cleaning oven with catalytic lining
~ Oven thermostat (60 ÷ 250°C)
~ Minute minder (with beeper)
~ Control with 7 positions
~ Oven light
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming compartment



CFF1094 X
stainless steel
920010027
EAN-13: 8413880187907

90 x 60 cm. *Gas-Electric cooker*

~ 5 gas
~ Electronic ignition on burners
~ Triple Crown burner
~ Total safety gas cut-off
~ Gas oven
~ Self-cleaning oven with catalytic lining
~ Usable volume of the oven: 119 litres
~ 120 minute minder timer
~ Chrome-plated rack
~ Enamelled tray
~ Natural gas conversion Kit
~ Rear right-hand gas inlet

SAFETY GAS CUT-OFF



4CF-90P X
stainless steel
920012327
EAN-13: 8413880173726

4CF-90P B
white
920012336
EAN-13: 8413880173733

90 x 60 cm. *Gas-Electric cooker*

~ 5 gas
~ Gas canister holder
~ Electronic ignition on burners
~ Triple Crown burner
~ Gas oven and grill
~ Catalytic lining
~ Usable volume of the oven: 52 litres
~ 60 minute timer
~ Roasting spit motor
~ Enamelled pan guards
~ Includes oven tray and rack
~ Rear right-hand gas inlet



3CF-950XS / BUT
stainless steel
920010004
EAN-13: 8413880183718

90 x 60 cm. *Gas-Electric cooker*

~ 5 gas
~ Electronic ignition on burners
~ Triple Crown burner
~ Removable glass cover
~ Stainless steel cover
~ Usable volume of the oven: 119 litres
~ Gas oven with safety system
~ Self-cleaning oven with catalytic lining
~ Oven thermostat (160÷275 °C)
~ Minute minder
~ Oven light
~ Enamelled tray
~ Chrome-plated rack
~ Stainless steel plate-warming compartment
~ Natural gas conversion Kit
~ Rear right-hand gas inlet



4CFM-64G X
stainless steel
920110569
EAN-13: 8413880139708

4CFM-64G B
white
920110453
EAN-13: 8413880139708

60 x 60 cm. *Gas-Electric cooker*

~ 4 gas
~ Removable glass cover
~ Automatic ignition on burners
~ Multifunction electric oven
~ Usable volume of the oven: 58 litres
~ Self-cleaning oven with catalytic lining
~ Minute minder
~ Oven light
~ Interior guides
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



5CF-56MS X
stainless steel
920110943
EAN-13: 8413880154558

ENERGY

50 x 60 cm. *Gas-Electric cooker*
~ 4 Gas
~ Multifunction electric oven
~ Usable volume of the oven: 53 litres
~ Easy-to-clean oven
~ Minute minder
~ Oven light
~ Interior guides
~ Enamelled tray
~ Chrome-plated rack
~ Drawer with container



5CF-56MSW B
white
920010039
EAN-13: 8413880189598

ENERGY

50 x 60 cm. *Gas-Electric cooker*
~ 4 Gas
~ Glas cooking hob
~ Automatic spark ignition in knobs
~ Safety device
~ Multifuncional oven
~ Electronic programmer
~ Rotary spit
~ Catalytic cleaning
~ Usable volume of the oven: 53 litres
~ Drawer with container



4CF-56MSP X
stainless steel
920110952
EAN-13: 8413880154565

ENERGY

50 x 60 cm. *Gas-Electric cooker*
~ 4 gas
~ Enamelled steel removable cover
~ Multifunction electric oven
~ Usable volume of the oven: 53 litres
~ Digital display
~ Easy-to-clean oven
~ Electronic start/stop total control timer
~ Oven light
~ Interior guides
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



4CF-56MSPF X
stainless steel
920010040
EAN-13: 8413880189604

ENERGY

50 x 60 cm. *Gas-Electric cooker*
~ 4 gas
~ Removable glass cover
~ Multifunction electric oven
~ Usable volume of the oven: 55 litres
~ Digital display
~ Easy-to-clean oven
~ Electronic start/stop total control timer
~ Rotating spit
~ Oven light
~ Interior guides
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer

4CF-56MSP B
white
920010021
EAN-13: 8413880186283

ENERGY

50 x 60 cm. *Gas-Electric cooker*
~ 4 gas
~ Enamelled steel removable cover
~ Multifunction electric oven
~ Usable volume of the oven: 53 litres
~ Digital display
~ Easy-to-clean oven
~ Electronic start/stop total control timer
~ Oven light
~ Interior guides
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



4CF-56MS X
stainless steel
920010019
EAN-13: 8413880186269

4CF-56MS B
white
920010019
EAN-13: 8413880186269

ENERGY

50 x 60 cm. *Gas-Electric cooker*
~ 4 Gas
~ Multifunction electric oven
~ Usable volume of the oven: 52 litres
~ Easy-to-clean oven
~ Minute minder
~ Oven light
~ Interior guides
~ 2 enamelled tray
~ Chrome-plated rack
~ Plate-warming compartment



5CF-56MSP B
white + glass
920010036
EAN-13: 8413880189116

5CF-56MSP X
stainless steel + glass
920010038
EAN-13: 8413880189130

5CF-56MSP M
mirror glass front + stainless steel
920010037
EAN-13: 8413880189123

ENERGY

50 x 60 cm. *Gas-Electric cooker*
~ 4 gas
~ Removable glass cover
~ Multifunction electric oven
~ Usable volume of the oven: 55 litres
~ Digital display
~ Easy-to-clean oven
~ Electronic start/stop total control timer
~ Rotating spit
~ Oven light
~ Interior guides
~ 2 enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



3FC-560T /BUT
white
920011337
EAN-13: 8413880098326

50 x 60 cm. *Gas-Electric cooker*
~ 4 gas
~ Enamelled steel cover
~ Safety gas oven
~ Usable volume of the oven: 52 litres
~ Mechanical oven thermostat
~ Enamelled tray
~ Chrome-plated rack
~ Plate-warming drawer



		VITROCERAMICS							
		60 x 60			50 x 60				50 x 60
		5CF-4VMCX	3CF-4VX	3CF 4V	5CF-56VDP X	4CF-56VMP X 4CF-56VMP B	4CF-56VM B	4CF-564V	3CF-3V
GENERAL FEATURES									
Family of covers		Vitro	Vitro	Vitro	Vitro	Vitro	Vitro	Vitro	Vitro
Quick Rapid hot plates									■
High Light radiant hot plates		■	■	■				■	
Enamelled steel burners						■			
Usable volume of the oven (L)		■	■	■		■	■	■	■
Rotating spit		■	■	■	■			■	
Type of oven		Electric multifunction	Electric static	Electric static	Electric multifunction	Electric Multifunction	Electric multifunction	Electric static	Electric static
Electric grill		■	■	■	■	■	■	■	■
Plate-warming drawer			with top	■	Steps	Steps			
Plate-warming compartment			Stainless steel	Painted		Stainless steel	Painted	Painted	Painted
Control protector			■	■				■	■
Oven light		■	■	■	■	■	■	■	■
CLEANING									
Self-cleaning oven									Catalytic
PROGRAMMING									
Electronic programmer		■							
Minute minder (signalled by a beep)			■	■				■	■
OPERATING CONTROL									
Controls (0-6 positions)						4			3
Continuous power control		4	4	4	4		4	4	
Oven thermostat		■			■	■			
SAFETY									
Accumulated heat pilot lights		4	4	4	4	4	4	4	3
No. glass items in door		2	2	2	2	3	2	2	2
TECHNICAL SPECIFICATIONS									
Total electric power (kW)		8.7	8.7	8.7	8	7.8	8	7.8	6.5
Voltage (V)		230/400V 3N	230	230	400V 3N	400V 3N	400V 3N	230	230
Frequency (Hz)		50	50	50	50	50	50	50	50
Power of hot-plates (kW)	Front right	1.2	1.2	1.2	1.2	1.7	1.7	1.2	
	Front left	2.3	2.3	2.3	1.7	1.2	1.2	1.8	1.2
	Right rear	1.8	1.8	1.8	2	1.2	1.2	1.8	1.2
	Right rear	1.2	1.2	1.2	1.2	1.7	1.7	1.2	1.7
Dimensions of hot-plates (mm)	Front right	145	145	145	145	180	180	145	
	Front left	210	210	210		145	145	180	145
	Right rear	180	180	180		145	145	180	145
	Right rear	145	145	145	145	180	180	145	180
Oven power (kW)		2.2	2.2	2.2	2	2	2	2.2	2.2
Grill power (kW)		2	2	2	2	2	2	2	2
Energy classification		B	C	B	A	A	A	A	C
ACCESORIOS									
Enamelled trays		■	■	■	■	■	■	■	■
Chrome-plated rack		■	■	■	■	■	■	■	■
DIMENSIONS									
Width of the appliance (mm)		600	600	600				500	500
Dimensions of oven interior (mm)	Height	335	335	330	330	330	330	310	320
	Width	405	380	420	390	390	390	380	390
	Depth	425	460	420	420	420	420	435	430

		90 x 60			60 x 60	50 x 60			
		CCF1094X	4CF-90P X 4CF-90P X	3CF-950S X	4CFM-64G X 4CFM-64G B	CF-64MX CF-64MB	5CF-56MS X	5CF-56MSW B	4CF-56MSP X
GENERAL FEATURES									
Family of covers		5 Gas	5 Gas	5 Gas	4 Gas	4 Gas	4 Gas	4 Gas	4 Gas
Material of the cover			Glas	Glas	Glas	Glas			Glas
Gas burners		5	5	5	4	4	4	4	4
Triple Crown burner		■		■					
Electronic ignition		■	■	■	■	■			
Enamelled steel burners		■	■	■		■	■	■	■
Usable volume of the oven (L)		119				■	■	■	■
Rotating spit			■	■				■	■
Type of oven		Gas	Gas	Gas	Gas	Electric multifunction	Electric multifunction		Electric multifunction
Electric grill		■	■	■	■	■	■	■	■
Interior guides		Steps	Steps						
Plate-warming drawer		■		Stainless steel	Stainless steel	Painted			
Control protector		■		■					
Oven light			■	■	■	■	■	■	■
Gas inlet		Right		Right	Right	Right	Right	Right	Right
CLEANING									
Self-cleaning oven		Catalytic	Normal	Catalytic	Normal			Catalytic	
PROGRAMMING									
Electronic programmer									
Minute minder (signalled by a beep)									
Beep		■		■					
OPERATING CONTROL									
Controls (0-6 positions)									
Continuous power control									
Oven thermostat			■				■	■	■
SAFETY									
Accumulated heat pilot lights									
No. glass items in door		2		2		2	2	2	2
TECHNICAL SPECIFICATIONS									
Total electric power (kW)			0.020			2	2	3.4	2
Total gas power (kW)		19.5	15.25	15.15	12.2	8.2	8.2	7.5	8.2
Voltage (V)		220-240		230	230	230	230	230	230
Frequency (Hz)		50		50	50	50	50	50	50
Power of hot-plates (kW)	Front right	1.75	2.8	2.90	3.1	3.1	3.1		3.1
	Front left	3	1.65	1.65	1.1	1.1	1.1	1	1.1
	Right rear	3.3	1	1	2	2	2	1.75	2
	Right rear	1.75	2.8	2.90	2	2	2	1.75	2
	Back centre	1	4	3.40					
Dimensions of hot-plates (mm)	Front right			90.7	100	100	95	95	95
	Front left			63.7	55	55	50	50	50
	Right rear			44.5	75	75	70	70	70
	Right rear			90.7	75	75	70	70	70
	Back centre			126					
Oven power (kW)		5	3	3.3	4	2	2	3.4	2
Grill power (kW)		3.2	2	3	2.7	2	2		2
Energy classification						B	A	A	A
ACCESORIOS									
Enamelled trays		■	■	■	■	■	■	■	■
Chrome-plated rack		■	■	■	■	■	■	■	■
DIMENSIONS									
Width of the appliance (mm)		900	900	900				500	
Height of the appliance with the top opened (mm)			1430	1420					
Dimensions of oven interior (mm)	Height	387		330	330	335	330	330	330
	Width	773		750	430	425	375	375	375
	Depth	437		480	460	430	425	425	425

50 x 60				60 x 60	50 x 60		50 x 60	
4CF-56MSPF X	4CF-56MSP B	4CF-56MS X 4CF-56MS B	5CF-56MSP X 5CF-56MSP B 5CF-56MSP M	CFF1031F	CFF1031M	CFF1531MC	3FC-560 T	
								GENERAL FEATURES
4 Gas	4 Gas	4 Gas	4 Gas	Mixta 3+1	Mixta 3+1	Mixta 3+1		Family of covers
	Glas	Painted	Glas	Painted	Enamelled	Painted	Metal	Material of the cover
4	4	4	4	3	3	3	4	Gas burners
								Triple Crown burner
							■	Electronic ignition
■	■	■	■	■	■	■		Enamelled steel burners
■	■	■	■	■	■		52	Usable volume of the oven (L)
	■							Rotating spit
				Electric static		Electric multifunction	Electric multifunction	Type of oven
■	■	■	■	■	■	■		Electric grill
Steps				Steps	Steps	Steps		Interior guides
Stainless steel				Painted			■	Plate-warming drawer
								Control protector
■	■	■	■			■		Oven light
Right	Right	Right	Right	Right	Right	Right		Gas inlet
								CLEANING
						Catalytic		Self-cleaning oven
								PROGRAMMING
			■					Electronic programmer
						■		Minute minder (signalled by a beep)
							■	Beep
								OPERATING CONTROL
				1	1	1		Controls (0-6 positions)
								Continuous power control
■	■	■	■	■	■	■	■	Oven thermostat
								SAFETY
								Accumulated heat pilot lights
2	2	2	2	2	2	2	2	No. glass items in door
								TECHNICAL SPECIFICATIONS
2	3.4	3.4	3.4	4.2	4.2	4		Total electric power (kW)
7.5	7.5	7.5	7.5	6.2	6.2		12.2	Total gas power (kW)
230	230	230	230	230	230	230		Voltage (V)
50	50	50	50	50	50	50		Frequency (Hz)
				3.1	3.1			Front right
1	1	1	1	1.1	1.1	3.2		Front left
1.75	1.75	1.75	1.75	2	2	2.4		Right rear
1.75	1.75	1.75	1.75	2	2	1.5		Right rear
								Back centre
95	95	95	95	100	100	47		Front right
50	50	50	50	55	55	110		Front left
70	70	70	70	75	75	97		Right rear
70	70	70	70	180	180	145		Right rear
								Back centre
2	3.4	3.4	3.4	2.2	2.2		2.8	Oven power (kW)
2	1.4	2	2.1	2	2		2.5	Grill power (kW)
A	A	A	A	A	B	B		Energy classification
								ACCESORIOS
■	■	■	■	■	■	■	■	Enamelled trays
■	■	■	■	■	■	■	■	Chrome-plated rack
								DIMENSIONS
500	500	500	500	600	600			Width of the appliance (mm)
								Height of the appliance with the top opened (mm)
330	330	330	330	335	335	335	310	Height
390	375	390	390			390	380	Width
425	420	420	425	450	425	425	435	Depth

Power of hot-plates (kW)

Dimensions of hot-plates (mm)

Dimensions of oven interior (mm)

A FAGOR ELECTRODOMESTICOS reserves the right to introduce, without prior notification, any modification to the characteristics of its manufactured products.

FAGOR